Fertility – Semen Analysis

Special Requirements

- Delayed examination may lead to invalid test results and a repeat test required.
- The specimen must be delivered to the laboratory (within 45 mins), as it must be examined within 1 hour of collection scan QR code for locations and hours of operation.

We supply you

• 1x White top Container.

Instructions

- 1. The specimen is to be collected between 2 and 7 days after your last ejaculation.
- 2. DO NOT use condoms, artificial lubricants, talcs, etc., as these will interfere with the test results.
- **3.** Label the container with your surname and given name, date of birth, date and time of collection and test name.
- 4. Collect the **ENTIRE** sample in the container provided by means of masturbation. Other methods, such as interruption of intercourse, are not suitable as there can be a loss of the first portion of the specimen. Place specimen into the specimen bag with the request form.
- 5. **DO NOT** expose the container to extremes of temperature before or after specimen collection.
- 6. During transport to the Laboratory, the sample should be kept between 20°c and 37°c. This is best achieved by keeping the sample next to your body during transport.
- 7. Do not refrigerate specimen or allow the specimen temperature to rise above body temperature. *Please Note:* This test incurs an out of pocket expense. For details please ask your pathology collector
- 8. Inform reception that you have an urgent time critical specimen.

I agree to accept responsibility for the full payment of this test of \$75.50*. I understand I can claim a partial rebate from Medicare of \$35.50*, leaving me with an out-of pocket expense of \$40.00*. (*Prices correct at time of print).



laverty.com.au

Healius Pathology Pty Ltd (ABN 84 007 190 043) t/a Laverty Pathology PUB/MR/391_ FRM-QA-232_FC5015_V2_Dec23

